

Design. Digital. Display.

This versatile product can be used as an advertising board, a product shelf or as structural elements in display furniture.

- > 100% recyclable
- Strong rigid structure
- Optimal flat surface for printing
- An ideal material for cutting & bending
- Moisture-resistant
- Fire Retardent is classified class B1 according to European Standard EN 13501-1:2007
- Made from wood grown in FSC® Certified, well-managed forests.

Display Board







Inverted Corrugated Board - ICB

Model	NG-ICB	WTLT-ICB	LT-ICB
	CALLARA BARARARARARARARARARARARARARARARARARA	THE RESIDENCE OF THE PARTY OF T	
Surface Colour	White	White	Brown
Characteristics & General Use	 High quality printing surface High strength & good loading capacity Great structure for V-cutting. Kraft Core 	 High Quality printing surface Good loading capacity Excellent choice for graphics use. Recycled Core 	 Generally used for design & glue lamination purposes. Good Loading capacity Recycled Core
Sheet Size (mm)	Length up to 3050 mm Width: 1220 & 1600 mm Length: 2440 mm	Length up to 3050 mm Width: 1220 & 1600 mm Length: 2440 mm	Length up to 3050 mm Width : 1220 & 1600 mm Length: 2440 mm
Standard Thickness	5, 10, 16, 19 mm	5, 10, 16, 19 mm	10, 15, 20, 30, 40 mm





Honeycomb Core Board - HCB

Model	WTLT-HCB	WLTT-HCB
Surface Colour	White	Brown
Characteristics & General Use	High quality print resultsLight-weight structureSign board application	 Higher quality print results Light-weight structure Sign board application
Sheet Size	Standard: 1220 x 2440mm	Standard: 1220 x 2440mm
Cell Size	8-10mm	8-10mm
Thickness	Standard: 5, 10, 16 mm Any thickness possible	Standard: 15, 25, 30 mm Any thickness possible



CNC Cutting & Printing Examples



















01. Reception Feature Wall 04. Constructed Furniture

02. Printed CNC cut out

- 07. Hanging Printed Decals
- 05. Printed 3D Motorcycle
- 08. Functional Feature Wall

03. White Board Table/Chairs

- 06. Wall Display & Tables
- 09. Large 3D Tree



